ELSEVIER SCIENCE IRELAND

Toxicology Letters 71 (1994) 289–291

Toxicology letters

Author index

Volume 71 (1994)

Adolphe, M., see Vindevoghel, L., 227
Alevizou, V., see Theocharis, S.E., 1
Ansari, G.A.S., see Thakore, K.N., 27
Aoshima, K., see Tsuritani, I., 209
Audet, M., see Barriault, C., 257

Ban, M., Hettich, D. and Huguet, N., Nephrotoxicity mechanism of *cis*-platinum (II) diamine dichloride in mice, 161
Barbhaiya, R.H., see Jordan, M.C., 63
Barriault, C., Audet, M., Yousef, I.M. and Tuchweber, B., Protection by indomethacin against the lethality and hepatotoxicity of phalloidin in mice, 257
Bhalla, D.K., see Ziegler, B., 197
Binder, P., see Vindevoghel, L., 227
Boileau, S., see Ricard, A.C., 131
Bonnet, P., see Zissu, D., 53
Bylander, J.E., Li, S., Sens, M.A., Hazen-Martin, D., Re, G.G. and Sens, D.A., Induction of metallothionein mRNA and protein following exposure of cultured human proximal tubule cells to cadmium, 111

Capdevila, C., see Vindevoghel, L., 227
Carrera, V., Díaz-Alejo, N., Sogorb, M.A., Vicedo, J.L. and Vilanova, E., In vivo inhibition by mipafox of soluble and particulate forms of organophosphorus neuropathy target esterase (NTE) in hen sciatic nerve, 47
Castro, J.A., see Valles, E.G., 87
Chambers, H., see Watson, A.M., 217
Chambers, J.E., see Watson, A.M., 217
Chasseaud, L.F., see Jordan, M.C., 63
Chevalier, G., see Ricard, A.C., 131
Chinje, E., Kentish, P., Jarnot, B., George, M. and Gibson, G., Induction of the CYP4A subfamily by perfluorodecanoic acid: the rat and the guinea pig as susceptible and non-susceptible species, 69
Christenson, W.R., van Goethem, D.L., Schroeder, R.S., Wahle, B.S., Dass, P.D., Sangha, G.K. and Thyssen, J.H., Interlaboratory cholinesterase determinations and the effect on the results of statistical evaluation of cholinesterase inhibition, 139

Dass, P.D., see Christenson, W.R., 139
de Castro, C.R., see Valles, E.G., 87
Díaz-Alejo, N., see Carrera, V., 47

Eckard, R., see Jekat, F.W., 9

Fujitani, T., see Tanaka, T., 123

Gagnaire, F., see Zissu, D., 53
Gan, J.C., see Thakore, K.N., 27
George, M., see Chinje, E., 69
Gibson, G., see Chinje, E., 69
Guilbaud, R., see Ricard, A.C., 131
Guzelian, P.S., see Kocarek, T.A., 183

Hazen-Martin, D., see Bylander, J.E., 111
Heneine, I.F., see Silva, A.M.P., 97
Hettich, D., see Ban, M., 161
Höglund, G., see Stengard, K., 245
Honda, R., see Tsuritani, I., 209
Hood, R.D., see Rasco, J.F., 177
Huguet, N., see Ban, M., 161

Ikarashi, Y., Tsuchiya, T. and Nakamura, A., Contact sensitivity of and cross-sensitivity between 2-(2′-hydroxy-5′-methylphenyl)benzotriazole (Tinuvin® P) and 2-(2′-hydroxy-3′-*tert*-butyl-5′-methylphenyl)-5-chlorobenzotriazole (Tinuvin® 326) evaluated by lymph

node cell proliferation and ear swelling response in mice, 151
Ioannides, C., see Lewis, D.F.V., 235
Ishizaki, M., see Tsuritani, I., 209

Jansson, T., see Romert, L., 39
Jarnot, B., see Chinje, E., 69
Jarnot, B.M., see Witzmann, F.A., 271
Jekat, F.W., Meisel, M.L., Eckard, R. and Winterhoff, H., Effects of pentachlorophenol (PCP) on the pituitary and thyroidal hormone regulation in the rat, 9
Jenssen, D., see Romert, L., 39
Jönsson, C.-J. and Lund, B.-O., In vitro bioactivation of the environmental pollutant 3-methylsulphonyl-2,2-bis(4-chlorophenyl)-1,1-dichloroethane in the human adrenal gland, 169
Jordan, M.C., Waller, A.R., Chasseaud, L.F. and Barbhaiya, R.H., Effect of the cephalosporin cefepime on hepatic drug metabolising enzyme activity in rats, 63

Kappus, H. and Reinhold, C., Heavy metal-induced cytotoxicity to cultured human epidermal keratinocytes and effects of antioxidants, 105
Kasuya, M., see Tsuritani, I., 209
Kentish, P., see Chinje, E., 69
Kleinman, M.T., see Ziegler, B., 197
Kocarek, T.A., Schuetz, E.G. and Guzelian, P.S., Regulation of cytochrome P450 2B1/2 mRNAs by Kepone® (chlordecone) and potent estrogens in primary cultures of adult rat hepatocytes on Matrigel, 183

Lewis, D.F.V., Ioannides, C. and Parke, D.V., Molecular modelling of cytochrome CYP1A1: a putative access channel explains differences in induction potency between the isomers benzo(*a*)pyrene and benzo(*e*)pyrene, and 2- and 4-acetylaminofluorene, 235
Li, S., see Bylander, J.E., 111
Lund, B.-O., see Jönsson, C.-J., 169

Margeli, A.P., see Theocharis, S.E., 1
Maxwell, H., see Ramakanth, S., 77
Meisel, M.L., see Jekat, F.W., 9
Menzel, D.B., see Ziegler, B., 197

Nakamura, A., see Ikarashi, Y., 151
Novaes, G., see Silva, A.M.P., 97

Oishi, S., see Tanaka, T., 123

Parke, D.V., see Lewis, D.F.V., 235
Parker, D.N., see Witzmann, F.A., 271

Ramakanth, S., Thornton-Manning, J.R., Wang, H., Maxwell, H. and Yost, G.S., Correlation between pulmonary cytochrome P450 transcripts and the organ-selective pneumotoxicity of 3-methylindole, 77
Rasco, J.F. and Hood, R.D., Differential effect of restraint procedure on incidence of restraint-stress-induced rib fusion in CD-1 mice, 177
Rasmussen, R.E., see Ziegler, B., 197
Re, G.G., see Bylander, J.E., 111
Reinhold, C., see Kappus, H., 105
Ricard, A.C., Guilbaud, R., Boileau, S., Van Tra, H. and Chevalier, G., Absence of in vivo lipid peroxidation in $CdCl_2$-treated rats as measured by exhaled pentane, 131
Romert, L., Jansson, T. and Jenssen, D., The cytotoxicity of 50 chemicals from the MEIC study determined by growth inhibition of Ascites Sarcoma BP8 cells: a comparison with acute toxicity data in man and rodents, 39

Sangha, G.K., see Christenson, W.R., 139
Schroeder, R.S., see Christenson, W.R., 139
Schuetz, E.G., see Kocarek, T.A., 183
Sens, D.A., see Bylander, J.E., 111
Sens, M.A., see Bylander, J.E., 111
Silva, A.M.P., Novaes, G. and Heneine, I.F., The effect of dithiothreitol on the activity of tityustoxin from the scorpion *Tityus serrulatus* venom, 97
Sogorb, M.A., see Carrera, V., 47
Stengård, K., Höglund, G. and Ungerstedt, U., Extracellular dopamine levels within the striatum increase during inhalation exposure to toluene — a microdialysis study in awake, freely moving rats, 245

Takahashi, O., see Tanaka, T., 123
Tanaka, T., Fujitani, T., Takahashi, O. and Oishi, S., Developmental toxicity evaluation of piperonyl butoxide in CD-1 mice, 123
Thakore, K.N., Gan, J.C. and Ansari, G.A.S., Rapid plasma clearance of albumin-acrolein adduct in rats, 27
Theocharis, S.E., Margeli, A.P., Alevizou, V. and Varonos, D., Thymidine kinase activity in liver and serum of rats after cadmium administration, 1
Thornton-Manning, J.R., see Ramakanth, S., 77
Thyssen, J.H., see Christenson, W.R., 139

Tsuchiya, T., see Ikarashi, Y., 151
Tsuritani, I., Honda, R., Ishizaki, M., Yamada, Y., Aoshima, K. and Kasuya, M., Serum bone-type alkaline phosphatase activity in women living in a cadmium-polluted area, 209
Tuchweber, B., see Barriault, C., 257

Ungerstedt, U., see Stengard, K., 245

Valles, E.G., de Castro, C.R. and Castro, J.A., *N*-Acetyl cysteine is an early but also a late preventive agent against carbon tetrachloride-induced liver necrosis, 87
van Goethem, D.L., see Christenson, W.R., 139
Van Tra, H., see Ricard, A.C., 131
Varonos, D., see Theocharis, S.E., 1
Vicedo, J.L., see Carrera, V., 47
Vilanova, E., see Carrera, V., 47
Vindevoghel, L., Capdevila, C., Binder, P. and Adolphe, M., Cytotoxicity of sulphur mustard on a human keratinocyte cell line: direct effects compared to conditioned-medium effects, 227

Wahle, B.S., see Christenson, W.R., 139
Waller, A.R., see Jordan, M.C., 63
Wang, H., see Ramakanth, S., 77
Watson, A.M., Chambers, H. and Chambers, J.E., An investigation of activities and paraoxon sensitivities of hepatic aliesterases in β-naphthoflavone treated rats, 217
Winterhoff, H., see Jekat, F.W., 9
Witzmann, F.A., Parker, D.N. and Jarnot, B.M., Induction of enoyl-CoA hydratase by LD_{50} exposure to perfluorocarboxylic acids detected by two-dimensional electrophoresis, 271

Yamada, Y., see Tsuritani, I., 209
Yost, G.S., see Ramakanth, S., 77
Yousef, I.M., see Barriault, C., 257

Ziegler, B., Bhalla, D.K., Rasmussen, R.E., Kleinman, M.T. and Menzel, D.B., Inhalation of resuspended road dust, but not ammonium nitrate, decreases the expression of the pulmonary macrophage Fc receptor, 197
Zissu, D., Gagnaire, F. and Bonnet, P., Nasal and pulmonary toxicity of glutaraldehyde in mice, 53

ELSEVIER SCIENCE IRELAND

Toxicology Letters 71 (1994) 293–294

Toxicology letters

Subject index

Volume 71 (1994)

Acetylaminofluorene, 235
Acivicin, 161
Acrolein, 27
N-Acetyl cysteine, 87
Acute toxicity, 39
Adrenal cortex, 169
Air pollution, 197
Albumin adduct, 27
Aliesterases, 217
Aminooxyacetic acid, 161
Antidotes, 97
Antioxidants, 105
Aspirin, 257

Benzopyrene, 235
Bone damage, 209
Bone-type alkaline phosphatase, 209
Breath alkane, 131
Buthionine sulfoximine, 161

Cadmium, 1, 111, 131, 209
Carbon tetrachloride, 87
Cell culture, 111
Cephalosporins, 63
Chlordecone, 183
Cholinesterase, 139
Conditioned-medium, 227
Contact sensitivity, 151
Correlation study, 39
Covalent binding, 87
Cross-sensitivity, 151
Crotonase, 271
CYP450, 183
CYP4A subfamily, 69
Cytochrome P450 induction, 69
Cytochrome P450 transcripts, 77
Cytochromes P450, 235
Cytotoxicity, 39, 105, 227

o,p'-DDD, 169
Developmental toxicity, 123
Disulfide, 97

Enzyme activity, 63
Enzyme induction, 235
Estrogens, 183
External malformation, 123
Extracellular dopamine, 245

Fatty acid hydroxylases, 69
Fc receptor, 197
Fetus, 177

Gene expression, 111

Heavy metals, 105
Hepatic, 77
Hepatocyte cultures, 183
Histopathology, 53
Human, 39
Human keratinocyte cell line, 227
2-(2'-Hydroxy-3'-*tert*-butyl-5'-methylphenyl)-5-chlorobenzotriazole, 151
2-(2'-Hydroxy-5'-methylphenyl)benzotriazole, 151
Hypothalamic-pituitary-axis, 9

Ibuprofen, 257
Indomethacin, 257
Inhalation, 53
Inhibition, 139

Kepone, 183
Keratinocytes, 105

Lipid peroxidation, 87, 131
Liver, 1, 257, 271

Liver damage, 87
Lungs, 53

Macrophages, 197
Malformation, 177
Maternally-mediated, 177
$MeSO_2$-DDE, 169
Metallothionein, 111
Methimazole, 161
Methodology, 139
3-Methylindole, 77

Mice, 123, 161, 177
Microdialysis, 245
Mipafox, 47
Mitochondria, 169
Mixed-function oxidases, 235
Molecular modelling, 235
Multicenter Evaluation of In Vitro Cytotoxicity (MEIC), 39
mRNA, 111

β-Naphthoflavone, 217
Nasal passages, 53
Nephrotoxicity-*cis*-platinum (II) diamine dichloride, 161
Neuropathy target esterase (NTE), 47
Neutral red assay, 105
Nonequilibrium pH gradient electrophoresis, 271

Oligodactyly of forelimbs, 123
Organic solvent, 245
Organophosphate, 217
Organophosphorus neuropathy, 47
β-Oxidation, 271
Oxidative stress, 105

P450, 183
Paraoxon, 217
Particles, 197
Pentachlorophenol, 9
Pentane, 131
Perfluorodecanoic acid, 69
Peroxisome proliferators, 69
Peroxisomes, 271
Phalloidin, 257
Piperonyl butoxide, 123
Plasma clearance, 27
Probenecid, 161
Protein degradation, 27
Proximal tubule, 111
Pulmonary, 77

Rat, 1, 9, 63
RD_{50}, 53
Reactive metabolites, 87
Restraint, 177
Rodent, 39

Sciatic nerve, 47
Scorpion toxins, 97
Selective toxicity, 77
Serum, 1
Statistical significance, 139
Stress, 177
Sulfhydryl, 97
Sulphur mustard, 227

Thiol compounds, 97
Thymidine kinase, 1
Thyroid, 9
Tinuvin, 151
Toluene, 245
Two-dimensional electrophoresis, 271
T_4-conversion, 9